Fecal Occult Blood Test Kit Instructions IFOBT)

Prior to Collection: Please verify expiration date of kit prior to completing collection. If the test kit is expired, please contact the Valley Medical Group Outreach Department at 413-775-4623 to request a new kit.

- Do not collect specimen if bleeding is present from hemorrhoids, constipation, urination or menstruation
- Urinate prior to positioning collection paper
- Do not allow specimen to come in contact with toilet water

Collection:

- 1. Remove tape cover from each end of collection paper
- 2. Tape paper on back half of toilet seat (refer to enclosed instruction sheet). Allow paper to sag
- 3. Deposit stool on paper
- 4. Do not allow stool to come in contact with the toilet water
- 5. Leave stool specimen on collection paper
- 6. Unscrew the sample tube
 - With DARK BLUE cap pierce the specimen in at least 5 different sites
 - Stool specimen will collect inside the grooves (refer to enclosed instructions)
 - Insert sampler back into the collection tube, tighten firmly
 - Shake well
 - Flush remaining specimen and collection paper
- 7. Write your name, date of birth, and date and time of collection on the outside of the white collection box.
 - Fill Out and Place Specimen Label (Included in white box) on outside of Biohazard Bag
 - Insert sample tube into absorbent sleeve
 - Insert absorbent sleeve into specimen pouch and seal
- 8. If more than one kit has been ordered by your provider, please perform each collection kit on different days
- 9. Test kit with specimen must be mailed to the health center address or dropped off at any of the four drawing stations within 5 days of collection.

PLEASE CALL OUTREACH AT (413)-775-4623 WITH ANY QUESTIONS REGARDING COLLECTION

Amherst Health Center	31 Hall Drive, Amherst, MA 01002	(413) 256-8561
Easthampton Health Center	238 Northampton St Easthampton, MA 01027	413-529-9300
Greenfield Health Center	329 Conway Street, Greenfield, MA 01301	413-774-6301
Northampton Health Center	70 Main Street, Florence MA 01062	413-586-8400